

PSU-20i, Multi-functional Orbital Shaker

Premium Product Class



Shaker **PSU-20i** provides three motion types: orbital, reciprocal and vibrating, which can be performed separately, pairwise and sequentially in repeated cycles. Shaker is designed for applications both in small specialized laboratories and in large multidisciplinary laboratories. **PSU-20i** is an ideal instrument for laboratories conducting research in biopharmaceutics and biomedicine.

Shaker PSU-20i is noiseless and reliable in operation, incorporates a direct drive system and brushless motor with a guaranteed service life up to 35,000 working hours. The use of direct drive and brushless motor allows for continuous mixing up to 7 days and ensures reliable operation for more than 2 years.

A choice of nine (9) different interchangeable platforms provides possibility of performing various procedures and techniques. Special attention should be paid to a multilevel platform, which allows accommodation of a large number of various microplates, Petri dishes, cultural bags and other low containers.

Shaker can be used in cold rooms or incubators, operating at ambient temperature range +4°C to +40°C.



Speed control range	20-250* RPM (increment 5 rpm) * max. speed depends on the load and vessels' shape
Digital time setting	1 min–96 hrs / non–stop (increment 1 min)
Timer sound signal	+
Digital speed control	+
Maximum continuous operation time	168 hrs
Orbit	20 mm
Maximum load	8 kg
Overall dimensions (W×D×H)	410x410x130 mm
Weight	11.7 kg
Input current/power consumption	12 V, 3.2 A / 40 W
External power supply	Input AC 100–240 V; 50/60 Hz; Output DC 12 V



CAT. NUMBER

Without platform
230VAC 50/60Hz Euro plug
230VAC 50/60Hz UK plug
230VAC 50/60Hz AU plug
100VAC 50/60Hz US plug, 120VAC 60Hz US plug
IQ OQ document
PQ document

ACCESSORIES



PSU-20i, Multi–functional Orbital Shaker

Page 1 of 3



UP-330 BS-010145-AK platform

Universal platform with adjustable bars can accommodate laboratory glassware of different shapes.



P-30/100 BS-010135-BK platform

Platform with clamps for flasks.



P-16/250 BS-010135-CK platform

Platform with clamps for flasks.



P-9/500 BS-010135-AK platform

Platform with clamps for flasks.



P-6/1000 BS-010135-DK platform

Platform with clamps for flasks.



PP-20/4 BS-010126-EK platform

Flat platform with non-slip rubber mat can accommodate various low profile containers.



PP-20/3 BS-010126-DK platform

Flat platform with non-slip rubber mat can accommodate various low profile containers.



PP-20/2 BS-010126-CK platform

Flat platform with non-slip rubber mat can accommodate various low profile containers.



PP-20 BS-010126-BK platform

Flat platform with non-slip rubber mat can accommodate various low profile containers.



UP-168 BS-010135-JK platform

Universal platform with clamps can accommodate flasks or bottles of different volume sizes. Clamps are not included with platform and need to be ordered separately.



SPML BS-010135-MK double-sided adhesive strips

Double-sided adhesive strips. SPML is compatible with UP-168 platform, that fits both on PSU-20i orbital shaker and inES-20/60, ES-20/80 Shakers-Incubators.



TR-44/15BS-010135-LK rack

Adjustable angle test tube rack for UP-168



TR-21/50BS-010135-KK rack

Adjustable angle test tube rack for UP-168



FC-50 BS-010126-MK clamp

Clamp 50 ml - Ø50 mm for UP-168



FC-100 BS-010126-HK clamp

Clamp 100 ml - Ø65 mm for UP-168

Industriestrasse 12 CH-6210 Sursee mail@witec.ch T 041 250 53 57



PSU-20i, Multi-functional Orbital Shaker



FC-250 BS-010126-JK clamp

Clamp 250 ml - Ø85 mm for UP-168



FC-500 BS-010126-LK clamp

Clamp 500 ml - Ø105 mm for UP-168



FC-1000 BS-010126-IK clamp

Clamp 1000 ml - Ø130 mm for UP-168



FC-2000 BS-010126-NK clamp

Clamp 2000 ml - Ø165 mm for UP-168



PSU-20i, Multi-functional Orbital Shaker

Page 3 of 3